

Initial Equipment Request for *The 39 Steps* - Tennessee Repertory Theatre

Description	Quantity
ETC Source Four 19 Degree	24
ETC Source Four 26 Degree	48
ETC Source Four 36 Degree	30
ETC Source Four 50 Degree	6
PAR 64 MFL	20
Lee Colortran Zoom	37
Strand 3380 6" Fresnel	44
Strand 3480 8" Fresnel	20
Kliegl R40 Strip Lights	8

Gel Count	Quantity
Forthcoming with Paperwork	

Gobo Count (Size B)	Quantity
Forthcoming with Paperwork	

Gobo Count (Size A)	Quantity
Forthcoming with Paperwork	

Gel Frames	Quantity
6.25"	108
7.5"	81
10"	40

Pattern Holders	Quantity
Source Four A Size	50
Lee Colortran	30

Accessories	Quantity
Source Four Iris Kit	12
12" Sidearm	4
8" Fresnel Barndoor	12
6" Fresnel Barndoor	30
6.25" Tophats	10

Effects Equipment	Quantity
LeMaitre LGS Fogger	1

Notes

Please have Source Four ERS cuts of R132 on hand at focus. Please contact me with any questions.

Please provide twenty-five two-fers for the space.

Please provide two Leprecon Portable Dimmer Packs run backstage.

Design: Michael Barnett
Revision 1

Channel	Dim	Position	U#	Type & Accessories & Watts	Purpose	Color and Template
(1)		8th Grid	1	Source 4 26deg+- 575w	A	R08/ T:-
(2)		8th Grid	5	Source 4 26deg+- 575w	B	R08/ T:-
(3)		8th Grid	9	Source 4 26deg+- 575w	C	R08/ T:-
(4)		10th Grid	1	Source 4 26deg+- 575w	D	R08/ T:-
(5)		8th Grid	2	Source 4 26deg+- 575w	E	R08/ T:-
(6)		8th Grid	6	Source 4 26deg+- 575w	F	R08/ T:-
(7)		8th Grid	10	Source 4 26deg+- 575w	G	R08/ T:-
(8)		10th Grid	4	Source 4 26deg+- 575w	H	R08/ T:-
(9)		7th Grid	1	Source 4 19deg+- 575w	I	R08/ T:-
(10)		7th Grid	5	Source 4 19deg+- 575w	J	R08/ T:-
(11)		7th Grid	9	Source 4 19deg+- 575w	K	R08/ T:-
(12)		7th Grid	13	Source 4 19deg+- 575w	L	R08/ T:-
(13)		7th Grid	2	Source 4 19deg+- 575w	M	R08/ T:-
(14)		7th Grid	6	Source 4 19deg+- 575w	N	R08/ T:-
(15)		7th Grid	10	Source 4 19deg+- 575w	O	R08/ T:-
(16)		7th Grid	14	Source 4 19deg+- 575w	P	R08/ T:-
(21)		8th Grid	3	Colortran Zoom 15°-30°+- 575w	AB	R61/ T:-
(22)		8th Grid	7	Colortran Zoom 15°-30°+- 575w	BC	R61/ T:-
(23)		8th Grid	11	Colortran Zoom 15°-30°+- 575w	CD	R61/ T:-
(24)		8th Grid	4	Colortran Zoom 15°-30°+- 575w	EF	R61/ T:-
(25)		8th Grid	8	Colortran Zoom 15°-30°+- 575w	FG	R61/ T:-
(26)		8th Grid	12	Colortran Zoom 15°-30°+- 575w	GH	R61/ T:-
(27)		7th Grid	3	Colortran Zoom 15°-30°+- 575w	IJ	R61/ T:-
(28)		7th Grid	7	Colortran Zoom 15°-30°+- 575w	JK	R61/ T:-
(29)		7th Grid	11	Colortran Zoom 15°-30°+- 575w	KL	R61/ T:-
(30)		7th Grid	4	Colortran Zoom 15°-30°+- 575w	MN	R61/ T:-
(31)		7th Grid	8	Colortran Zoom 15°-30°+- 575w	NO	R61/ T:-
(32)		7th Grid	12	Colortran Zoom 15°-30°+- 575w	OP	R61/ T:-
(41)		4th Grid	5	Colortran Zoom 15°-30°+- 575w	AB	R02/ T:-
(42)		5th Grid	9	Colortran Zoom 15°-30°+- 575w	CD	R02/ T:-
(43)		1st Grid	9	Colortran Zoom 15°-30°+- 575w	EF	R02/ T:-

Channel	Dim	Position	U#	Type & Accessories & Watts	Purpose	Color and Template
(44)		1st Grid	10	Colortran Zoom 15°-30°+- 575w	GH	R02/ T:-
(45)		1st Electric	1	Colortran Zoom 15°-30°+- 575w	IJ	R02/ T:-
		"	4	"	KL	"
(46)		2nd Electric	1	Colortran Zoom 15°-30°+- 575w	MN	R02/ T:-
		"	4	"	OP	"
(51)		10th Grid	6	Source 4 26deg+- 575w	A	R316/ T:R79564
(52)		10th Grid	5	Source 4 26deg+- 575w	B	R316/ T:R79564
(53)		11th Grid	4	Source 4 26deg+- 575w	C	R316/ T:R79564
(54)		11th Grid	3	Source 4 26deg+- 575w	D	R316/ T:R79564
(55)		3rd Grid	5	Source 4 26deg+- 575w	E	R316/ T:R79564
(56)		3rd Grid	3	Source 4 26deg+- 575w	F	R316/ T:R79564
(57)		3rd Grid	6	Source 4 26deg+- 575w	G	R316/ T:R79564
(58)		3rd Grid	4	Source 4 26deg+- 575w	H	R316/ T:R79564
(59)		1st Electric	26	Source 4 26deg+- 575w	IJ	R316/ T:R79564
(60)		1st Electric	28	Source 4 36deg+- 575w	K	R316/ T:R79564
		"	29	"	L	"
(61)		2nd Electric	28	Source 4 26deg+- 575w	MN	R316/ T:R79564
(62)		2nd Electric	30	Source 4 36deg+- 575w	O	R316/ T:R79564
		"	31	"	P	"
(71)		4th Grid	1	Source 4 26deg+- 575w	A	R63/ T:G222
(72)		4th Grid	2	Source 4 26deg+- 575w	B	R63/ T:G222
(73)		5th Grid	1	Source 4 26deg+- 575w	C	R63/ T:G222
(74)		5th Grid	2	Source 4 26deg+- 575w	D	R63/ T:G222
(75)		1st Grid	3	Source 4 26deg+- 575w	E	R63/ T:G222
(76)		1st Grid	7	Source 4 26deg+- 575w	F	R63/ T:G222
(77)		1st Grid	4	Source 4 26deg+- 575w	G	R63/ T:G222
(78)		1st Grid	8	Source 4 26deg+- 575w	H	R63/ T:G222
(79)		1st Electric	2	Source 4 36deg+- 575w	I	R63/ T:G222
		"	3	"	J	"
(80)		1st Electric	5	Source 4 26deg+- 575w	KL	R63/ T:G222
(81)		2nd Electric	2	Source 4 36deg+- 575w	M	R63/ T:G222
		"	3	"	N	"
(82)		2nd Electric	5	Source 4 26deg+- 575w	OP	R63/ T:G222
(91)		10th Grid	3	Colortran Zoom 15°-30°+- 575w	AB	R57/ T:-

Channel	Dim	Position	U#	Type & Accessories & Watts	Purpose	Color and Template
(92)		11th Grid	1	Colortran Zoom 15°-30°+- 575w	CD	R57/ T:-
(93)		3rd Grid	9	Colortran Zoom 15°-30°+- 575w	EF	R57/ T:-
(94)		3rd Grid	10	Colortran Zoom 15°-30°+- 575w	GH	R57/ T:-
(95)		1st Electric	27	Colortran Zoom 15°-30°+- 575w	IJ	R57/ T:-
		"	30	"	KL	"
(96)		2nd Electric	29	Colortran Zoom 15°-30°+- 575w	MN	R57/ T:-
		"	32	"	OP	"
(101)		2nd Grid	14	PAR 64 MFL+- 1kw	A	R09/ T:-
(102)		2nd Grid	17	PAR 64 MFL+- 1kw	B	R09/ T:-
(103)		2nd Grid	21	PAR 64 MFL+- 1kw	C	R09/ T:-
(104)		2nd Grid	24	PAR 64 MFL+- 1kw	D	R09/ T:-
(105)		2nd Grid	1	PAR 64 MFL+- 1kw	E	R09/ T:-
(106)		2nd Grid	4	PAR 64 MFL+- 1kw	F	R09/ T:-
(107)		2nd Grid	8	PAR 64 MFL+- 1kw	G	R09/ T:-
(108)		2nd Grid	11	PAR 64 MFL+- 1kw	H	R09/ T:-
(109)		1st Electric	9	PAR 64 WFL+- 1kw	I	R09/ T:-
		"	13	"	J	"
(110)		1st Electric	16	PAR 64 WFL+- 1kw	K	R09/ T:-
		"	21	"	L	"
(111)		2nd Electric	8	PAR 64 WFL+- 1kw	M	R09/ T:-
		"	13	"	N	"
(112)		2nd Electric	18	PAR 64 WFL+- 1kw	O	R09/ T:-
		"	23	"	P	"
(121)		2nd Grid	16	8" Fres+- 2kw	A	R378/ T:-
(122)		2nd Grid	19	8" Fres+- 2kw	B	R378/ T:-
(123)		2nd Grid	20	8" Fres+- 2kw	C	R378/ T:-
(124)		2nd Grid	23	8" Fres+- 2kw	D	R378/ T:-
(125)		2nd Grid	3	8" Fres+- 2kw	E	R378/ T:-
(126)		2nd Grid	6	8" Fres+- 2kw	F	R378/ T:-
(127)		2nd Grid	7	8" Fres+- 2kw	G	R378/ T:-
(128)		2nd Grid	10	8" Fres+- 2kw	H	R378/ T:-
(129)		1st Electric	11	8" Fres+Barn Door 2kw	I	R378/ T:-
(130)		1st Electric	15	8" Fres+Barn Door 2kw	J	R378/ T:-
(131)		1st Electric	18	8" Fres+Barn Door 2kw	K	R378/ T:-

Channel	Dim	Position	U#	Type & Accessories & Watts	Purpose	Color and Template
(132)		1st Electric	23	8" Fres+Barn Door 2kw	L	R378/ T:-
(133)		2nd Electric	10	8" Fres+Barn Door 2kw	M	R378/ T:-
(134)		2nd Electric	15	8" Fres+Barn Door 2kw	N	R378/ T:-
(135)		2nd Electric	20	8" Fres+Barn Door 2kw	O	R378/ T:-
(136)		2nd Electric	25	8" Fres+Barn Door 2kw	P	R378/ T:-
(141)		2nd Grid	15	Source 4 36deg+- 575w	A	L201/ T:G643
(142)		2nd Grid	18	Source 4 36deg+- 575w	B	L201/ T:G643
(143)		2nd Grid	22	Source 4 36deg+- 575w	C	L201/ T:G643
(144)		2nd Grid	25	Source 4 36deg+- 575w	D	L201/ T:G643
(145)		2nd Grid	2	Source 4 36deg+- 575w	E	L201/ T:G643
(146)		2nd Grid	5	Source 4 36deg+- 575w	F	L201/ T:G643
(147)		2nd Grid	9	Source 4 36deg+- 575w	G	L201/ T:G643
(148)		2nd Grid	12	Source 4 36deg+- 575w	H	L201/ T:G643
(149)		1st Electric	10	Source 4 36deg+Top Hat 575w	I	L201/ T:G643
		"	14	"	J	"
(150)		1st Electric	17	Source 4 36deg+Top Hat 575w	K	L201/ T:G643
		"	22	"	L	"
(151)		2nd Electric	9	Source 4 36deg+- 575w	M	L201/ T:G643
		"	14	"	N	"
(152)		2nd Electric	19	Source 4 36deg+- 575w	O	L201/ T:G643
		"	24	"	P	"
(161)		9th Grid	1	LED Spectra Star Par NSP+- 575w	STROBE	NC/ T:-
(162)		9th Grid	2	LED Spectra Star Par NSP+- 575w	STROBE	NC/ T:-
(163)		9th Grid	3	LED Spectra Star Par NSP+- 575w	STROBE	NC/ T:-
(164)		9th Grid	4	LED Spectra Star Par NSP+- 575w	STROBE	NC/ T:-
(171)		4th Grid	4	Source 4 26deg+- 575w	FLAT	R55/ T:G673
(172)		5th Grid	8	Source 4 26deg+- 575w	FLAT	R55/ T:G673
(173)		4th Grid	3	Source 4 26deg+- 575w	FLAT	R55/ T:G673
(174)		5th Grid	6	Source 4 26deg+- 575w	FLAT	R55/ T:G673
(181)		10th Grid	11	Source 4 26deg+- 575w	SHELLACH	R66/ T:R71005
(182)		11th Grid	6	Source 4 26deg+- 575w	SHELLACH	R66/ T:R71005
(183)		10th Grid	10	Source 4 26deg+- 575w	SHELLACH	R66/ T:R71005
(184)		11th Grid	5	Source 4 26deg+- 575w	SHELLACH	R66/ T:R71005
(191)		5th Grid	10	Source 4 19deg+- 575w	BOX	R63/ T:-

Channel	Dim	Position	U#	Type & Accessories & Watts	Purpose	Color and Template
(192)		1st Grid	2	65Q 6" Fres+- 750w	BOX	R15/ T:-
(193)		Set Mount	3	Wall Sconce+- 100w	SCONCE	NC/ T:-
(195)		10th Grid	2	Source 4 19deg+- 575w	BOX	R63/ T:-
(196)		3rd Grid	2	65Q 6" Fres+- 750w	BOX	R15/ T:-
(197)		Set Mount	4	Wall Sconce+- 100w	SCONCE	NC/ T:-
(201)		Floor Mount	A1	Altman R40 Strip+- 300w	FL	R316/ T:-
		"	A3	"	"	"
(202)		Floor Mount	B1	Altman R40 Strip+- 300w	FL	R316/ T:-
		"	B3	"	"	"
(211)		Floor Mount	A2	Altman R40 Strip+- 300w	FL	R65/ T:-
		"	A4	"	"	"
(212)		Floor Mount	B2	Altman R40 Strip+- 300w	FL	R65/ T:-
		"	B4	"	"	"
(221)		Floor Mount	1	Ghost Light+- 150w	GHOST	NC/ T:-
(222)		1st Electric	19	65Q 6" Fres+- 750w	LAMP	NC/ T:-
(231)		2nd Electric	12	Source 4 26deg+Top Hat 575w	WIND	R367/ T:-
(232)		2nd Electric	11	Source 4 50deg+Top Hat 575w	WIND	R367/ T:G205
(241)		Set Mount	8	Lamp Post+- 150w	POST	NC/ T:-
(242)		3rd Grid	7	65Q 6" Fres+- 750w	LAMPOST	R14/ T:-
(245)		11th Grid	2	Source 4 19deg+- 575w	LAMPOST	L202/ T:-
(246)		10th Grid	8	Source 4 19deg+- 575w	3 SPEC	L202/ T:-
(261)		6th Grid	6	Source 4 19deg+Iris 575w	CHAIR	R360/ T:-
(262)		2nd Grid	13	65Q 6" Fres+- 750w	CHAIR	R03/ T:-
(271)		3rd Grid	11	Source 4 26deg+Iris 575w	4 SPEC	L202/ T:-
(281)		2nd Grid	27	65Q 6" Fres+- 750w	TRAIN	R03/ T:-
(282)		2nd Grid	29	65Q 6" Fres+- 750w	TRAIN	R03/ T:-
(283)		2nd Grid	30	65Q 6" Fres+- 750w	TRAIN	R03/ T:-
(284)		2nd Grid	31	65Q 6" Fres+- 750w	TRAIN	R03/ T:-
(291)		2nd Electric	16	Source 4 26deg+Top Hat 575w	TRAIN	R363/ T:-
(292)		2nd Electric	17	Source 4 26deg+Top Hat 575w	TRAIN	R363/ T:-
(293)		2nd Electric	21	Source 4 26deg+Top Hat 575w	TRAIN	R363/ T:-
(294)		2nd Electric	22	Source 4 26deg+Top Hat 575w	TRAIN	R363/ T:-
(301)		5th Grid	7	Source 4 19deg+- 575w	EDINBURGH	R61/ T:-
(305)		1st Grid	1	Source 4 26deg+- 575w	TRAIN	R15/ T:R77423

Channel	Dim	Position	U#	Type & Accessories & Watts	Purpose	Color and Template
(311)		2nd Grid	28	65Q 6" Fres+- 750w	BLUE	R366/ T:-
(315)		5th Grid	3	65Q 6" Fres+- 750w	PAMELA	R337/ T:-
(316)		1st Electric	20	65Q 6" Fres+- 750w	PAM	R57/ T:-
(321)		1st Grid	11	65Q 6" Fres+- 750w	ROOF	R317/ T:-
		"	12	"	"	"
(325)		3rd Grid	12	65Q 6" Fres+- 750w	ROOF	R363/ T:-
		"	13	"	"	"
(331)		6th Grid	2	65Q 6" Fres+- 750w	RUNNING	L201/ T:-
(341)		1st Electric	12	Source 4 19deg+Top Hat 575w	CROFTER	R57/ T:-
(345)		6th Grid	4	Source 4 19deg+- 575w	CROFTER	R367/ T:-
(351)		Floor Mount	4	8" Fres+- 2kw	SHADOW	L105/ T:-
(355)		1st Electric	6	Source 4 50deg+- 575w	DUSK	R34/ T:G227
(356)		1st Electric	25	Source 4 50deg+- 575w	DUSK	R55/ T:R77168
(361)		10th Grid	7	Source 4 19deg+- 575w	PROF	L202/ T:-
(365)		5th Grid	4	Source 4 19deg+- 575w	17 SPEC	L202/ T:-
(371)		2nd Grid	26	65Q 6" Fres+- 750w	SHERIFF	R366/ T:-
(381)		Floor Mount	2	65Q 6" Fres+- 750w	SHADOWS	R69/ T:-
(382)		Floor Mount	3	65Q 6" Fres+- 750w	SHADOWS	R69/ T:-
(391)		1st Electric	7	Source 4 26deg+- 575w	BANNER	R02/ T:-
(392)		1st Electric	24	Source 4 26deg+- 575w	BANNER	R02/ T:-
(401)		Set Mount	6	Hotel Sign+- 100w	HOTEL	NC/ T:-
(411)		Set Mount	9	Fireplace Logs+- 200w	FIRE	NC/ T:-
(412)		1st Grid	5	65Q 6" Fres+- 750w	FIRE	R20/ T:-
(421)		6th Grid	3	65Q 6" Fres+- 750w	BEDR	R47/ T:-
(422)		6th Grid	5	65Q 6" Fres+- 750w	BEDR	R47/ T:-
(431)		5th Grid	5	Source 4 19deg+- 575w	27 SPEC	L202/ T:-
(441)		6th Grid	7	65Q 6" Fres+- 750w	LOBBY	R362/ T:-
(445)		3rd Grid	1	65Q 6" Fres+- 750w	LOBBY	R16/ T:-
(451)		6th Grid	8	65Q 6" Fres+- 750w	BEDR	L108/ T:-
(452)		6th Grid	9	65Q 6" Fres+- 750w	BEDR	L108/ T:-
(461)		3rd Grid	8	65Q 6" Fres+- 750w	PHONE	NC/ T:-
(471)		6th Grid	10	65Q 6" Fres+- 750w	CAR	R02/ T:-
(475)		1st Grid	6	65Q 6" Fres+- 750w	CAR	R68/ T:-

Channel	Dim	Position	U#	Type & Accessories & Watts	Purpose	Color and Template
(481)		6th Grid	1	Source 4 19deg+Iris 575w	HAND	L202/ T:-
(491)		1st Electric	8	65Q 6" Fres+- 750w	35 SPEC	NC/ T:-
(492)		Set Mount	10	Christmas Tree+- 100w	XMAS	NC/ T:-
(495)		10th Grid	9	Source 4 19deg+- 575w	KISS	R36/ T:-
(501)		12th Grid	1	Colortran Zoom 15°-30°+- 575w	WARM	R3407/ T:G223
(502)		12th Grid	3	Colortran Zoom 15°-30°+- 575w	WARM	R3407/ T:G223
(503)		13th Grid	1	Colortran Zoom 15°-30°+- 575w	WARM	R3407/ T:G223
(504)		13th Grid	3	Colortran Zoom 15°-30°+- 575w	WARM	R3407/ T:G223
(505)		14th Grid	1	Colortran Zoom 15°-30°+- 575w	WARM	R3407/ T:G223
(506)		14th Grid	3	Colortran Zoom 15°-30°+- 575w	WARM	R3407/ T:G223
(511)		2nd Electric	6	65Q 6" Fres+- 750w	WALL	R21/ T:-
		"	7	"	"	"
(521)		12th Grid	2	Colortran Zoom 15°-30°+- 575w	COOL	R67/ T:G223
(522)		12th Grid	4	Colortran Zoom 15°-30°+- 575w	COOL	R67/ T:G223
(523)		13th Grid	2	Colortran Zoom 15°-30°+- 575w	COOL	R67/ T:G223
(524)		13th Grid	4	Colortran Zoom 15°-30°+- 575w	COOL	R67/ T:G223
(525)		14th Grid	2	Colortran Zoom 15°-30°+- 575w	COOL	R67/ T:G223
(526)		14th Grid	4	Colortran Zoom 15°-30°+- 575w	COOL	R67/ T:G223
(531)		2nd Electric	26	65Q 6" Fres+- 750w	WALL	R348/ T:-
		"	27	"	"	"
(541)		Set Mount	1	Deco Wall+- 200w	DECO	NC/ T:-
(542)		Set Mount	2	Deco Wall+- 200w	DECO	NC/ T:-
(551)		Set Mount	5	Light Box+- 200w	PROSC	NC/ T:-
(552)		Set Mount	7	Open Bulb+- 100w	BULB	NC/ T:-

1st Electric

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	IJ	Colortran Zoom 15°-30°+-	575w	R02	-		(45)
2	I	Source 4 36deg+-	575w	R63	G222		(79)
3	J	Source 4 36deg+-	575w	R63	G222		(79)
4	KL	Colortran Zoom 15°-30°+-	575w	R02	-		(45)
5	KL	Source 4 26deg+-	575w	R63	G222		(80)
6	DUSK	Source 4 50deg+-	575w	R34	G227		(355)
7	BANNER	Source 4 26deg+-	575w	R02	-		(391)
8	35 SPEC	65Q 6" Fres+-	750w	NC	-		(491)
9	I	PAR 64 WFL+-	1kw	R09	-		(109)
10	I	Source 4 36deg+Top Hat	575w	L201	G643		(149)
11	I	8" Fres+Barn Door	2kw	R378	-		(129)
12	CROFTER	Source 4 19deg+Top Hat	575w	R57	-		(341)
13	J	PAR 64 WFL+-	1kw	R09	-		(109)
14	J	Source 4 36deg+Top Hat	575w	L201	G643		(149)
15	J	8" Fres+Barn Door	2kw	R378	-		(130)
16	K	PAR 64 WFL+-	1kw	R09	-		(110)
17	K	Source 4 36deg+Top Hat	575w	L201	G643		(150)
18	K	8" Fres+Barn Door	2kw	R378	-		(131)
19	LAMP	65Q 6" Fres+-	750w	NC	-		(222)
20	PAM	65Q 6" Fres+-	750w	R57	-		(316)
21	L	PAR 64 WFL+-	1kw	R09	-		(110)
22	L	Source 4 36deg+Top Hat	575w	L201	G643		(150)
23	L	8" Fres+Barn Door	2kw	R378	-		(132)
24	BANNER	Source 4 26deg+-	575w	R02	-		(392)
25	DUSK	Source 4 50deg+-	575w	R55	R77168		(356)
26	IJ	Source 4 26deg+-	575w	R316	R79564		(59)
27	IJ	Colortran Zoom 15°-30°+-	575w	R57	-		(95)
28	K	Source 4 36deg+-	575w	R316	R79564		(60)
29	L	Source 4 36deg+-	575w	R316	R79564		(60)
30	KL	Colortran Zoom 15°-30°+-	575w	R57	-		(95)

2nd Electric

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	MN	Colortran Zoom 15°-30°+-	575w	R02	-		(46)
2	M	Source 4 36deg+-	575w	R63	G222		(81)
3	N	Source 4 36deg+-	575w	R63	G222		(81)
4	OP	Colortran Zoom 15°-30°+-	575w	R02	-		(46)
5	OP	Source 4 26deg+-	575w	R63	G222		(82)
6	WALL	65Q 6" Fres+-	750w	R21	-		(511)
7	WALL	65Q 6" Fres+-	750w	R21	-		(511)
8	M	PAR 64 WFL+-	1kw	R09	-		(111)
9	M	Source 4 36deg+-	575w	L201	G643		(151)
10	M	8" Fres+Barn Door	2kw	R378	-		(133)
11	WIND	Source 4 50deg+Top Hat	575w	R367	G205		(232)
12	WIND	Source 4 26deg+Top Hat	575w	R367	-		(231)
13	N	PAR 64 WFL+-	1kw	R09	-		(111)
14	N	Source 4 36deg+-	575w	L201	G643		(151)
15	N	8" Fres+Barn Door	2kw	R378	-		(134)
16	TRAIN	Source 4 26deg+Top Hat	575w	R363	-		(291)
17	TRAIN	Source 4 26deg+Top Hat	575w	R363	-		(292)
18	O	PAR 64 WFL+-	1kw	R09	-		(112)
19	O	Source 4 36deg+-	575w	L201	G643		(152)
20	O	8" Fres+Barn Door	2kw	R378	-		(135)
21	TRAIN	Source 4 26deg+Top Hat	575w	R363	-		(293)
22	TRAIN	Source 4 26deg+Top Hat	575w	R363	-		(294)
23	P	PAR 64 WFL+-	1kw	R09	-		(112)
24	P	Source 4 36deg+-	575w	L201	G643		(152)
25	P	8" Fres+Barn Door	2kw	R378	-		(136)
26	WALL	65Q 6" Fres+-	750w	R348	-		(531)
27	WALL	65Q 6" Fres+-	750w	R348	-		(531)
28	MN	Source 4 26deg+-	575w	R316	R79564		(61)
29	MN	Colortran Zoom 15°-30°+-	575w	R57	-		(96)
30	O	Source 4 36deg+-	575w	R316	R79564		(62)
31	P	Source 4 36deg+-	575w	R316	R79564		(62)
32	OP	Colortran Zoom 15°-30°+-	575w	R57	-		(96)

1st Grid

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	TRAIN	Source 4 26deg+-	575w	R15	R77423		(305)
2	BOX	65Q 6" Fres+-	750w	R15	-		(192)
3	E	Source 4 26deg+-	575w	R63	G222		(75)
4	G	Source 4 26deg+-	575w	R63	G222		(77)
5	FIRE	65Q 6" Fres+-	750w	R20	-		(412)
6	CAR	65Q 6" Fres+-	750w	R68	-		(475)
7	F	Source 4 26deg+-	575w	R63	G222		(76)
8	H	Source 4 26deg+-	575w	R63	G222		(78)
9	EF	Colortran Zoom 15°-30°+-	575w	R02	-		(43)
10	GH	Colortran Zoom 15°-30°+-	575w	R02	-		(44)
11	ROOF	65Q 6" Fres+-	750w	R317	-		(321)
12	ROOF	65Q 6" Fres+-	750w	R317	-		(321)

2nd Grid

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	E	PAR 64 MFL+-	1kw	R09	-		(105)
2	E	Source 4 36deg+-	575w	L201	G643		(145)
3	E	8" Fres+-	2kw	R378	-		(125)
4	F	PAR 64 MFL+-	1kw	R09	-		(106)
5	F	Source 4 36deg+-	575w	L201	G643		(146)
6	F	8" Fres+-	2kw	R378	-		(126)
7	G	8" Fres+-	2kw	R378	-		(127)
8	G	PAR 64 MFL+-	1kw	R09	-		(107)
9	G	Source 4 36deg+-	575w	L201	G643		(147)
10	H	8" Fres+-	2kw	R378	-		(128)
11	H	PAR 64 MFL+-	1kw	R09	-		(108)
12	H	Source 4 36deg+-	575w	L201	G643		(148)
13	CHAIR	65Q 6" Fres+-	750w	R03	-		(262)
14	A	PAR 64 MFL+-	1kw	R09	-		(101)
15	A	Source 4 36deg+-	575w	L201	G643		(141)
16	A	8" Fres+-	2kw	R378	-		(121)
17	B	PAR 64 MFL+-	1kw	R09	-		(102)
18	B	Source 4 36deg+-	575w	L201	G643		(142)
19	B	8" Fres+-	2kw	R378	-		(122)
20	C	8" Fres+-	2kw	R378	-		(123)
21	C	PAR 64 MFL+-	1kw	R09	-		(103)
22	C	Source 4 36deg+-	575w	L201	G643		(143)
23	D	8" Fres+-	2kw	R378	-		(124)
24	D	PAR 64 MFL+-	1kw	R09	-		(104)
25	D	Source 4 36deg+-	575w	L201	G643		(144)
26	SHERIFF	65Q 6" Fres+-	750w	R366	-		(371)
27	TRAIN	65Q 6" Fres+-	750w	R03	-		(281)
28	BLUE	65Q 6" Fres+-	750w	R366	-		(311)
29	TRAIN	65Q 6" Fres+-	750w	R03	-		(282)
30	TRAIN	65Q 6" Fres+-	750w	R03	-		(283)
31	TRAIN	65Q 6" Fres+-	750w	R03	-		(284)

3rd Grid

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	LOBBY	65Q 6" Fres+-	750w	R16	-		(445)
2	BOX	65Q 6" Fres+-	750w	R15	-		(196)
3	F	Source 4 26deg+-	575w	R316	R79564		(56)
4	H	Source 4 26deg+-	575w	R316	R79564		(58)
5	E	Source 4 26deg+-	575w	R316	R79564		(55)
6	G	Source 4 26deg+-	575w	R316	R79564		(57)
7	LAMPOST	65Q 6" Fres+-	750w	R14	-		(242)
8	PHONE	65Q 6" Fres+-	750w	NC	-		(461)
9	EF	Colortran Zoom 15°-30°+-	575w	R57	-		(93)
10	GH	Colortran Zoom 15°-30°+-	575w	R57	-		(94)
11	4 SPEC	Source 4 26deg+Iris	575w	L202	-		(271)
12	ROOF	65Q 6" Fres+-	750w	R363	-		(325)
13	ROOF	65Q 6" Fres+-	750w	R363	-		(325)

4th Grid

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	A	Source 4 26deg+-	575w	R63	G222		(71)
2	B	Source 4 26deg+-	575w	R63	G222		(72)
3	FLAT	Source 4 26deg+-	575w	R55	G673		(173)
4	FLAT	Source 4 26deg+-	575w	R55	G673		(171)
5	AB	Colortran Zoom 15°-30°+-	575w	R02	-		(41)

5th Grid

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	C	Source 4 26deg+-	575w	R63	G222		(73)
2	D	Source 4 26deg+-	575w	R63	G222		(74)
3	PAMELA	65Q 6" Fres+-	750w	R337	-		(315)
4	17 SPEC	Source 4 19deg+-	575w	L202	-		(365)
5	27 SPEC	Source 4 19deg+-	575w	L202	-		(431)
6	FLAT	Source 4 26deg+-	575w	R55	G673		(174)
7	EDINBURGH	Source 4 19deg+-	575w	R61	-		(301)
8	FLAT	Source 4 26deg+-	575w	R55	G673		(172)
9	CD	Colortran Zoom 15°-30°+-	575w	R02	-		(42)
10	BOX	Source 4 19deg+-	575w	R63	-		(191)

6th Grid

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	HAND	Source 4 19deg+Iris	575w	L202	-		(481)
2	RUNNING	65Q 6" Fres+-	750w	L201	-		(331)
3	BEDR	65Q 6" Fres+-	750w	R47	-		(421)
4	CROFTER	Source 4 19deg+-	575w	R367	-		(345)
5	BEDR	65Q 6" Fres+-	750w	R47	-		(422)
6	CHAIR	Source 4 19deg+Iris	575w	R360	-		(261)
7	LOBBY	65Q 6" Fres+-	750w	R362	-		(441)
8	BEDR	65Q 6" Fres+-	750w	L108	-		(451)
9	BEDR	65Q 6" Fres+-	750w	L108	-		(452)
10	CAR	65Q 6" Fres+-	750w	R02	-		(471)

7th Grid

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	I	Source 4 19deg+-	575w	R08	-		(9)
2	M	Source 4 19deg+-	575w	R08	-		(13)
3	IJ	Colortran Zoom 15°-30°+-	575w	R61	-		(27)
4	MN	Colortran Zoom 15°-30°+-	575w	R61	-		(30)
5	J	Source 4 19deg+-	575w	R08	-		(10)
6	N	Source 4 19deg+-	575w	R08	-		(14)
7	JK	Colortran Zoom 15°-30°+-	575w	R61	-		(28)
8	NO	Colortran Zoom 15°-30°+-	575w	R61	-		(31)
9	K	Source 4 19deg+-	575w	R08	-		(11)
10	O	Source 4 19deg+-	575w	R08	-		(15)
11	KL	Colortran Zoom 15°-30°+-	575w	R61	-		(29)
12	OP	Colortran Zoom 15°-30°+-	575w	R61	-		(32)
13	L	Source 4 19deg+-	575w	R08	-		(12)
14	P	Source 4 19deg+-	575w	R08	-		(16)

8th Grid

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	A	Source 4 26deg+-	575w	R08	-		(1)
2	E	Source 4 26deg+-	575w	R08	-		(5)
3	AB	Colortran Zoom 15°-30°+-	575w	R61	-		(21)
4	EF	Colortran Zoom 15°-30°+-	575w	R61	-		(24)
5	B	Source 4 26deg+-	575w	R08	-		(2)
6	F	Source 4 26deg+-	575w	R08	-		(6)
7	BC	Colortran Zoom 15°-30°+-	575w	R61	-		(22)
8	FG	Colortran Zoom 15°-30°+-	575w	R61	-		(25)
9	C	Source 4 26deg+-	575w	R08	-		(3)
10	G	Source 4 26deg+-	575w	R08	-		(7)
11	CD	Colortran Zoom 15°-30°+-	575w	R61	-		(23)
12	GH	Colortran Zoom 15°-30°+-	575w	R61	-		(26)

9th Grid

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	STROBE	LED Spectra Star Par NSP+-	575w	NC	-		(161)
2	STROBE	LED Spectra Star Par NSP+-	575w	NC	-		(162)
3	STROBE	LED Spectra Star Par NSP+-	575w	NC	-		(163)
4	STROBE	LED Spectra Star Par NSP+-	575w	NC	-		(164)

10th Grid

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	D	Source 4 26deg+-	575w	R08	-		(4)
2	BOX	Source 4 19deg+-	575w	R63	-		(195)
3	AB	Colortran Zoom 15°-30°+-	575w	R57	-		(91)
4	H	Source 4 26deg+-	575w	R08	-		(8)
5	B	Source 4 26deg+-	575w	R316	R79564		(52)
6	A	Source 4 26deg+-	575w	R316	R79564		(51)
7	PROF	Source 4 19deg+-	575w	L202	-		(361)
8	3 SPEC	Source 4 19deg+-	575w	L202	-		(246)
9	KISS	Source 4 19deg+-	575w	R36	-		(495)
10	SHELLACH	Source 4 26deg+-	575w	R66	R71005		(183)
11	SHELLACH	Source 4 26deg+-	575w	R66	R71005		(181)

11th Grid

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	CD	Colortran Zoom 15°-30°+-	575w	R57	-		(92)
2	LAMPOST	Source 4 19deg+-	575w	L202	-		(245)
3	D	Source 4 26deg+-	575w	R316	R79564		(54)
4	C	Source 4 26deg+-	575w	R316	R79564		(53)
5	SHELLACH	Source 4 26deg+-	575w	R66	R71005		(184)
6	SHELLACH	Source 4 26deg+-	575w	R66	R71005		(182)

12th Grid

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	WARM	Colortran Zoom 15°-30°+-	575w	R3407	G223		(501)
2	COOL	Colortran Zoom 15°-30°+-	575w	R67	G223		(521)
3	WARM	Colortran Zoom 15°-30°+-	575w	R3407	G223		(502)
4	COOL	Colortran Zoom 15°-30°+-	575w	R67	G223		(522)

14th Grid

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	WARM	Colortran Zoom 15°-30°+-	575w	R3407	G223		(505)
2	COOL	Colortran Zoom 15°-30°+-	575w	R67	G223		(525)
3	WARM	Colortran Zoom 15°-30°+-	575w	R3407	G223		(506)
4	COOL	Colortran Zoom 15°-30°+-	575w	R67	G223		(526)

13th Grid

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	WARM	Colortran Zoom 15°-30°+-	575w	R3407	G223		(503)
2	COOL	Colortran Zoom 15°-30°+-	575w	R67	G223		(523)
3	WARM	Colortran Zoom 15°-30°+-	575w	R3407	G223		(504)
4	COOL	Colortran Zoom 15°-30°+-	575w	R67	G223		(524)

Floor Mount

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	GHOST	Ghost Light+-	150w	NC	-		(221)
2	SHADOWS	65Q 6" Fres+-	750w	R69	-		(381)
3	SHADOWS	65Q 6" Fres+-	750w	R69	-		(382)
4	SHADOW	8" Fres+-	2kw	L105	-		(351)
A1	FL	Altman R40 Strip+-	300w	R316	-		(201)
A2	FL	Altman R40 Strip+-	300w	R65	-		(211)
A3	FL	Altman R40 Strip+-	300w	R316	-		(201)
A4	FL	Altman R40 Strip+-	300w	R65	-		(211)
B1	FL	Altman R40 Strip+-	300w	R316	-		(202)
B2	FL	Altman R40 Strip+-	300w	R65	-		(212)
B3	FL	Altman R40 Strip+-	300w	R316	-		(202)
B4	FL	Altman R40 Strip+-	300w	R65	-		(212)

Set Mount

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	DECO	Deco Wall+-	200w	NC	-		(541)
2	DECO	Deco Wall+-	200w	NC	-		(542)
3	SCONCE	Wall Sconce+-	100w	NC	-		(193)
4	SCONCE	Wall Sconce+-	100w	NC	-		(197)
5	PROSC	Light Box+-	200w	NC	-		(551)
6	HOTEL	Hotel Sign+-	100w	NC	-		(401)
7	BULB	Open Bulb+-	100w	NC	-		(552)
8	POST	Lamp Post+-	150w	NC	-		(241)
9	FIRE	Fireplace Logs+-	200w	NC	-		(411)
10	XMAS	Christmas Tree+-	100w	NC	-		(492)

35	65Q 6" Fres	750w	35	Total
17	8" Fres	2kw	17	Total
2	Altman R40 Strip	300w	2	Total
1	Christmas Tree	100w	1	Total
40	Colortran Zoom 15°-30°	575w	40	Total
2	Deco Wall	200w	2	Total
1	Fireplace Logs	200w	1	Total
1	Ghost Light	150w	1	Total
1	Hotel Sign	100w	1	Total
1	Lamp Post	150w	1	Total
4	LED Spectra Star Par NSP	575w	4	Total
1	Light Box	200w	1	Total
1	Open Bulb	100w	1	Total
8	PAR 64 MFL	1kw	8	Total
8	PAR 64 WFL	1kw	8	Total
21	Source 4 19deg	575w	21	Total
45	Source 4 26deg	575w	45	Total
24	Source 4 36deg	575w	24	Total
3	Source 4 50deg	575w	3	Total
2	Wall Sconce	100w	2	Total
TOTAL LIGHTS:			218	

1st Electric

3	65Q 6" Fres	750w	3	Total
4	8" Fres	2kw	4	Total
4	Colortran Zoom 15°-30°	575w	4	Total
4	PAR 64 WFL	1kw	4	Total
1	Source 4 19deg	575w	1	Total
4	Source 4 26deg	575w	4	Total
8	Source 4 36deg	575w	8	Total
2	Source 4 50deg	575w	2	Total

2nd Electric

4	65Q 6" Fres	750w	4	Total
4	8" Fres	2kw	4	Total
4	Colortran Zoom 15°-30°	575w	4	Total
4	PAR 64 WFL	1kw	4	Total
7	Source 4 26deg	575w	7	Total
8	Source 4 36deg	575w	8	Total
1	Source 4 50deg	575w	1	Total

1st Grid

5	65Q 6" Fres	750w	5	Total
2	Colortran Zoom 15°-30°	575w	2	Total
5	Source 4 26deg	575w	5	Total

2nd Grid

7	65Q 6" Fres	750w	7	Total
8	8" Fres	2kw	8	Total
8	PAR 64 MFL	1kw	8	Total
8	Source 4 36deg	575w	8	Total

3rd Grid

6	65Q 6" Fres	750w	6	Total
2	Colortran Zoom 15°-30°	575w	2	Total
5	Source 4 26deg	575w	5	Total

4th Grid

1	Colortran Zoom 15°-30°	575w	1	Total
4	Source 4 26deg	575w	4	Total

5th Grid

1	65Q 6" Fres	750w	1	Total
1	Colortran Zoom 15°-30°	575w	1	Total
4	Source 4 19deg	575w	4	Total
4	Source 4 26deg	575w	4	Total

6th Grid

7	65Q 6" Fres	750w	7	Total
3	Source 4 19deg	575w	3	Total

<u>7th Grid</u>				
6	Colortran Zoom 15°-30°	575w	6	Total
8	Source 4 19deg	575w	8	Total
<u>8th Grid</u>				
6	Colortran Zoom 15°-30°	575w	6	Total
6	Source 4 26deg	575w	6	Total
<u>9th Grid</u>				
4	LED Spectra Star Par NSP	575w	4	Total
<u>10th Grid</u>				
1	Colortran Zoom 15°-30°	575w	1	Total
4	Source 4 19deg	575w	4	Total
6	Source 4 26deg	575w	6	Total
<u>11th Grid</u>				
1	Colortran Zoom 15°-30°	575w	1	Total
1	Source 4 19deg	575w	1	Total
4	Source 4 26deg	575w	4	Total
<u>12th Grid</u>				
4	Colortran Zoom 15°-30°	575w	4	Total
<u>14th Grid</u>				
4	Colortran Zoom 15°-30°	575w	4	Total
<u>13th Grid</u>				
4	Colortran Zoom 15°-30°	575w	4	Total
<u>Floor Mount</u>				
2	65Q 6" Fres	750w	2	Total
1	8" Fres	2kw	1	Total
2	Altman R40 Strip	300w	2	Total
1	Ghost Light	150w	1	Total
<u>Set Mount</u>				
1	Christmas Tree	100w	1	Total
2	Deco Wall	200w	2	Total
1	Fireplace Logs	200w	1	Total
1	Hotel Sign	100w	1	Total
1	Lamp Post	150w	1	Total
1	Light Box	200w	1	Total
1	Open Bulb	100w	1	Total
2	Wall Sconce	100w	2	Total

TOTAL LIGHTS: 218

The 39 Steps

COLOR CUTS

Design: Michael Barnett
Revision 1

L105			
8" Fres	1	cut	
Total:	1	cut	
L108			
65Q 6" Fres	2	cuts	
Total:	2	cuts	
L201			
Source 4 36deg	16	cuts	
65Q 6" Fres	1	cut	
Total:	17	cuts	
L202			
Source 4 26deg	1	cut	
Source 4 19deg	6	cuts	
Total:	7	cuts	
NC			
LED Spectra Star Par NSP	4	cuts	
Ghost Light	1	cut	
65Q 6" Fres	3	cuts	
Wall Sconce	2	cuts	
Hotel Sign	1	cut	
Open Bulb	1	cut	
Deco Wall	2	cuts	
Lamp Post	1	cut	
Fireplace Logs	1	cut	
Light Box	1	cut	
Christmas Tree	1	cut	
Total:	18	cuts	
R02			
Source 4 26deg	2	cuts	
Colortran Zoom 15°-30°	8	cuts	
65Q 6" Fres	1	cut	
Total:	11	cuts	
R03			
65Q 6" Fres	5	cuts	
Total:	5	cuts	
R08			
Source 4 26deg	8	cuts	
Source 4 19deg	8	cuts	
Total:	16	cuts	
R09			
PAR 64 WFL	8	cuts	
PAR 64 MFL	8	cuts	
Total:	16	cuts	
R14			
65Q 6" Fres	1	cut	
Total:	1	cut	

R15			
	Source 4 26deg	1	cut
	65Q 6" Fres	2	cuts
	Total:	3	cuts
R16			
	65Q 6" Fres	1	cut
	Total:	1	cut
R20			
	65Q 6" Fres	1	cut
	Total:	1	cut
R21			
	65Q 6" Fres	2	cuts
	Total:	2	cuts
R316			
	Source 4 26deg	10	cuts
	Source 4 36deg	4	cuts
	Altman R40 Strip	16	cuts
	Total:	30	cuts
R317			
	65Q 6" Fres	2	cuts
	Total:	2	cuts
R337			
	65Q 6" Fres	1	cut
	Total:	1	cut
R34			
	Source 4 50deg	1	cut
	Total:	1	cut
R3407			
	Colortran Zoom 15°-30°	6	cuts
	Total:	6	cuts
R348			
	65Q 6" Fres	2	cuts
	Total:	2	cuts
R36			
	Source 4 19deg	1	cut
	Total:	1	cut
R360			
	Source 4 19deg	1	cut
	Total:	1	cut
R362			
	65Q 6" Fres	1	cut
	Total:	1	cut

R363			
	Source 4 26deg	4	cuts
	65Q 6" Fres	2	cuts
	Total:	6	cuts
R366			
	65Q 6" Fres	2	cuts
	Total:	2	cuts
R367			
	Source 4 26deg	1	cut
	Source 4 19deg	1	cut
	Source 4 50deg	1	cut
	Total:	3	cuts
R378			
	8" Fres	16	cuts
	Total:	16	cuts
R47			
	65Q 6" Fres	2	cuts
	Total:	2	cuts
R55			
	Source 4 26deg	4	cuts
	Source 4 50deg	1	cut
	Total:	5	cuts
R57			
	Source 4 19deg	1	cut
	Colortran Zoom 15°-30°	8	cuts
	65Q 6" Fres	1	cut
	Total:	10	cuts
R61			
	Source 4 19deg	1	cut
	Colortran Zoom 15°-30°	12	cuts
	Total:	13	cuts
R63			
	Source 4 26deg	10	cuts
	Source 4 19deg	2	cuts
	Source 4 36deg	4	cuts
	Total:	16	cuts
R65			
	Altman R40 Strip	16	cuts
	Total:	16	cuts
R66			
	Source 4 26deg	4	cuts
	Total:	4	cuts
R67			
	Colortran Zoom 15°-30°	6	cuts
	Total:	6	cuts

R68

65Q 6" Fres	1	cut
Total:	1	cut

R69

65Q 6" Fres	2	cuts
Total:	2	cuts

Design: Michael Barnett
Revision 1**1st Electric**

L201

Source 4 36deg	4	cuts
Total:	4	cuts

NC

65Q 6" Fres	2	cuts
Total:	2	cuts

R02

Source 4 26deg	2	cuts
Colortran Zoom 15°-30°	2	cuts
Total:	4	cuts

R09

PAR 64 WFL	4	cuts
Total:	4	cuts

R316

Source 4 26deg	1	cut
Source 4 36deg	2	cuts
Total:	3	cuts

R34

Source 4 50deg	1	cut
Total:	1	cut

R378

8" Fres	4	cuts
Total:	4	cuts

R55

Source 4 50deg	1	cut
Total:	1	cut

R57

Source 4 19deg	1	cut
Colortran Zoom 15°-30°	2	cuts
65Q 6" Fres	1	cut
Total:	4	cuts

R63

Source 4 26deg	1	cut
Source 4 36deg	2	cuts
Total:	3	cuts

2nd Electric

L201

Source 4 36deg	4	cuts
Total:	4	cuts

R02

Colortran Zoom 15°-30°	2	cuts
Total:	2	cuts

R09

PAR 64 WFL	4	cuts
Total:	4	cuts

R21

65Q 6" Fres	2	cuts
Total:	2	cuts

R316

Source 4 26deg	1	cut
Source 4 36deg	2	cuts
Total:	3	cuts

R348

65Q 6" Fres	2	cuts
Total:	2	cuts

R363

Source 4 26deg	4	cuts
Total:	4	cuts

R367

Source 4 26deg	1	cut
Source 4 50deg	1	cut
Total:	2	cuts

R378

8" Fres	4	cuts
Total:	4	cuts

R57

Colortran Zoom 15°-30°	2	cuts
Total:	2	cuts

R63

Source 4 26deg	1	cut
Source 4 36deg	2	cuts
Total:	3	cuts

1st Grid

R02	Colortran Zoom 15°-30°	2	cuts
	Total:	2	cuts

R15	Source 4 26deg	1	cut
	65Q 6" Fres	1	cut
	Total:	2	cuts

R20	65Q 6" Fres	1	cut
	Total:	1	cut

R317	65Q 6" Fres	2	cuts
	Total:	2	cuts

R63	Source 4 26deg	4	cuts
	Total:	4	cuts

R68	65Q 6" Fres	1	cut
	Total:	1	cut

2nd Grid

L201	Source 4 36deg	8	cuts
	Total:	8	cuts

R03	65Q 6" Fres	5	cuts
	Total:	5	cuts

R09	PAR 64 MFL	8	cuts
	Total:	8	cuts

R366	65Q 6" Fres	2	cuts
	Total:	2	cuts

R378	8" Fres	8	cuts
	Total:	8	cuts

3rd Grid

L202

Source 4 26deg	1	cut
Total:	1	cut

NC

65Q 6" Fres	1	cut
Total:	1	cut

R14

65Q 6" Fres	1	cut
Total:	1	cut

R15

65Q 6" Fres	1	cut
Total:	1	cut

R16

65Q 6" Fres	1	cut
Total:	1	cut

R316

Source 4 26deg	4	cuts
Total:	4	cuts

R363

65Q 6" Fres	2	cuts
Total:	2	cuts

R57

Colortran Zoom 15°-30°	2	cuts
Total:	2	cuts

4th Grid

R02

Colortran Zoom 15°-30°	1	cut
Total:	1	cut

R55

Source 4 26deg	2	cuts
Total:	2	cuts

R63

Source 4 26deg	2	cuts
Total:	2	cuts

5th Grid

L202			
	Source 4 19deg	2	cuts
	Total:	2	cuts
R02			
	Colortran Zoom 15°-30°	1	cut
	Total:	1	cut
R337			
	65Q 6" Fres	1	cut
	Total:	1	cut
R55			
	Source 4 26deg	2	cuts
	Total:	2	cuts
R61			
	Source 4 19deg	1	cut
	Total:	1	cut
R63			
	Source 4 26deg	2	cuts
	Source 4 19deg	1	cut
	Total:	3	cuts

6th Grid

L108			
	65Q 6" Fres	2	cuts
	Total:	2	cuts
L201			
	65Q 6" Fres	1	cut
	Total:	1	cut
L202			
	Source 4 19deg	1	cut
	Total:	1	cut
R02			
	65Q 6" Fres	1	cut
	Total:	1	cut
R360			
	Source 4 19deg	1	cut
	Total:	1	cut
R362			
	65Q 6" Fres	1	cut
	Total:	1	cut

R367
 Source 4 19deg ----- 1 cut
 Total: 1 cut

R47
 65Q 6" Fres ----- 2 cuts
 Total: 2 cuts

7th Grid

R08
 Source 4 19deg ----- 8 cuts
 Total: 8 cuts

R61
 Colortran Zoom 15°-30° ----- 6 cuts
 Total: 6 cuts

8th Grid

R08
 Source 4 26deg ----- 6 cuts
 Total: 6 cuts

R61
 Colortran Zoom 15°-30° ----- 6 cuts
 Total: 6 cuts

9th Grid

NC
 LED Spectra Star Par NSP ----- 4 cuts
 Total: 4 cuts

10th Grid

L202
 Source 4 19deg ----- 2 cuts
 Total: 2 cuts

R08
 Source 4 26deg ----- 2 cuts
 Total: 2 cuts

R316
 Source 4 26deg ----- 2 cuts
 Total: 2 cuts

R36
 Source 4 19deg ----- 1 cut
 Total: 1 cut

R57
 Colortran Zoom 15°-30° ----- 1 cut
 Total: ----- 1 cut

R63
 Source 4 19deg ----- 1 cut
 Total: ----- 1 cut

R66
 Source 4 26deg ----- 2 cuts
 Total: ----- 2 cuts

11th Grid

L202
 Source 4 19deg ----- 1 cut
 Total: ----- 1 cut

R316
 Source 4 26deg ----- 2 cuts
 Total: ----- 2 cuts

R57
 Colortran Zoom 15°-30° ----- 1 cut
 Total: ----- 1 cut

R66
 Source 4 26deg ----- 2 cuts
 Total: ----- 2 cuts

12th Grid

R3407
 Colortran Zoom 15°-30° ----- 2 cuts
 Total: ----- 2 cuts

R67
 Colortran Zoom 15°-30° ----- 2 cuts
 Total: ----- 2 cuts

14th Grid

R3407
 Colortran Zoom 15°-30° ----- 2 cuts
 Total: ----- 2 cuts

R67
 Colortran Zoom 15°-30° ----- 2 cuts
 Total: ----- 2 cuts

13th Grid

R3407

Colortran Zoom 15°-30°	2	cuts
Total:	2	cuts

R67

Colortran Zoom 15°-30°	2	cuts
Total:	2	cuts

Floor Mount

L105

8" Fres	1	cut
Total:	1	cut

NC

Ghost Light	1	cut
Total:	1	cut

R316

Altman R40 Strip	16	cuts
Total:	16	cuts

R65

Altman R40 Strip	16	cuts
Total:	16	cuts

R69

65Q 6" Fres	2	cuts
Total:	2	cuts

Set Mount

NC

Wall Sconce	2	cuts
Hotel Sign	1	cut
Open Bulb	1	cut
Deco Wall	2	cuts
Lamp Post	1	cut
Fireplace Logs	1	cut
Light Box	1	cut
Christmas Tree	1	cut
Total:	10	cuts

Design: Michael Barnett
 Revision 1

G205		
Source 4 50deg	1	template
Total:	1	template
G222		
Source 4 26deg	10	templates
Source 4 36deg	4	templates
Total:	14	templates
G223		
Colortran Zoom 15°-30°	12	templates
Total:	12	templates
G227		
Source 4 50deg	1	template
Total:	1	template
G643		
Source 4 36deg	16	templates
Total:	16	templates
G673		
Source 4 26deg	4	templates
Total:	4	templates
R71005		
Source 4 26deg	4	templates
Total:	4	templates
R77168		
Source 4 50deg	1	template
Total:	1	template
R77423		
Source 4 26deg	1	template
Total:	1	template
R79564		
Source 4 26deg	10	templates
Source 4 36deg	4	templates
Total:	14	templates

Design: Michael Barnett
Revision 1

1st Electric

G222		
Source 4 26deg	1	template
Source 4 36deg	2	templates
Total:	3	templates

G227		
Source 4 50deg	1	template
Total:	1	template

G643		
Source 4 36deg	4	templates
Total:	4	templates

R77168		
Source 4 50deg	1	template
Total:	1	template

R79564		
Source 4 26deg	1	template
Source 4 36deg	2	templates
Total:	3	templates

2nd Electric

G205		
Source 4 50deg	1	template
Total:	1	template

G222		
Source 4 26deg	1	template
Source 4 36deg	2	templates
Total:	3	templates

G643		
Source 4 36deg	4	templates
Total:	4	templates

R79564		
Source 4 26deg	1	template
Source 4 36deg	2	templates
Total:	3	templates

1st Grid

G222		
Source 4 26deg	4	templates
Total:	4	templates

R77423		
Source 4 26deg	1	template
Total:	1	template

2nd Grid

G643		
Source 4 36deg	8	templates
Total:	8	templates

3rd Grid

R79564
 Source 4 26deg ----- 4 templates
 Total: ----- 4 templates

4th Grid

G222
 Source 4 26deg ----- 2 templates
 Total: ----- 2 templates

G673
 Source 4 26deg ----- 2 templates
 Total: ----- 2 templates

5th Grid

G222
 Source 4 26deg ----- 2 templates
 Total: ----- 2 templates

G673
 Source 4 26deg ----- 2 templates
 Total: ----- 2 templates

10th Grid

R71005
 Source 4 26deg ----- 2 templates
 Total: ----- 2 templates

R79564
 Source 4 26deg ----- 2 templates
 Total: ----- 2 templates

11th Grid

R71005
 Source 4 26deg ----- 2 templates
 Total: ----- 2 templates

R79564
 Source 4 26deg ----- 2 templates
 Total: ----- 2 templates

12th Grid

G223
 Colortran Zoom 15°-30° ----- 4 templates
 Total: ----- 4 templates











14th Grid

G223
 Colortran Zoom 15°-30° ----- 4 templates
 Total: ----- 4 templates

13th Grid

G223
 Colortran Zoom 15°-30° ----- 4 templates
 Total: ----- 4 templates

The 39 Steps Templates

Picture	Number	Plot Number	Picture	Number	Plot Number
	GAM 643	1		GAM 673	2
	Moonscape			Linear Breakup 2	
	Rosco 71005	3		GAM 222	4
	Bark Breakup 1			Small Breakup	
	Rosco 79654	5		Rosco 77423	6
	Blobs			Stripes	
	GAM 227	7		Rosco 77168	8
	Cloud 4			Cloud 10	
	GAM 205	9		GAM 223	10
	Venetian Blind			Large Breakup	

Design: Michael Barnett
Revision 1

Barn Door

- 8 for 8" Fres
- 8 Total Barn Door

Iris

- 1 for Source 4 26deg
- 2 for Source 4 19deg
- 3 Total Iris

Top Hat

- 5 for Source 4 26deg
- 1 for Source 4 19deg
- 4 for Source 4 36deg
- 1 for Source 4 50deg
- 11 Total Top Hat

TOTAL ACCESSORIES: 22

Channels in each position in System A:

1st Electric

45, 59, 60, 79, 80, 95, 109, 110, 129, 130, 131, 132, 149, 150, 222, 316, 341, 355, 356, 391, 392, 491

2nd Electric

46, 61, 62, 81, 82, 96, 111, 112, 133, 134, 135, 136, 151, 152, 231, 232, 291, 292, 293, 294, 511, 531

1st Grid

43, 44, 75, 76, 77, 78, 192, 305, 321, 412, 475

2nd Grid

101, 102, 103, 104, 105, 106, 107, 108, 121, 122, 123, 124, 125, 126, 127, 128, 141, 142, 143, 144, 145, 146, 147
148, 262, 281, 282, 283, 284, 311, 371

3rd Grid

55, 56, 57, 58, 93, 94, 196, 242, 271, 325, 445, 461

4th Grid

41, 71, 72, 171, 173

5th Grid

42, 73, 74, 172, 174, 191, 301, 315, 365, 431

6th Grid

261, 331, 345, 421, 422, 441, 451, 452, 471, 481

7th Grid

9, 10, 11, 12, 13, 14, 15, 16, 27, 28, 29, 30, 31, 32

8th Grid

1, 2, 3, 5, 6, 7, 21, 22, 23, 24, 25, 26

9th Grid

161, 162, 163, 164

10th Grid

4, 8, 51, 52, 91, 181, 183, 195, 246, 361, 495

11th Grid

53, 54, 92, 182, 184, 245

12th Grid

501, 502, 521, 522

14th Grid

505, 506, 525, 526

13th Grid

503, 504, 523, 524

Floor Mount

201, 202, 211, 212, 221, 351, 381, 382

Set Mount

193, 197, 241, 401, 411, 492, 541, 542, 551, 552

The 39 Steps Lighting Cue List

<u>Cue #</u>	<u>Time</u>	<u>Description</u>	<u>Page</u>
1	4	House Up	2
2	4	House Half	2
3	4	House Out	2
4	0	Stobe w/ Overture	2
6	0	Bump to Scene w/ Hannay Seated	2
8	2/3	Warm Footlights Up w/ Music	3
10	8	SR Box Up Slow w/ Compere "Mr. Memory!!!"	3
12	10	SL Box Up Slow w/ Compere "...possible to conceive!"	3
14	12	Brighten for Audience w/ Compere "First question please."	4
18	6	Boxes Front Down w/ Compere "Play man, play!!"	8
19	6/2	Transition Look Up w/ Compere & Memory Exit	8
20	4	Cross to Hannay's Dark Night w/ In Place	8
22	0.5	Light Room Up w/ Lamp On	9
24	0.5	Restore Q 20 w/ Window High w/ Lamp Out	9
26	0.5	Restore Q 22 w/ Lamp On	9
30	1	Lamp Post Up w/ Music	12
32	1	Post Down w/ Clowns Off	12
34	1	Restore Q 30 w/ Music	13
36	1	Restore Q 32 w/ Clowns Off	13
38	6/10	Shift Low w/ Flat Scrape w/ Distant Haunting Music	13
40	3	Restore Q 30 w/ Music (Lamp Flickering)	13
42	1	Restore Q 38 w/ Music Out	13
44	2/3	Narrow 3 Special w/ Hannay "I'll remember that"	14
46	4/2	Restore Q 32 w/ Annabella Walking Away	15
48	10/1	Shift Late / Lamp Out / Window High / Gobos High w/ Annabella Exit	16
50	4/6	Chair Special Up w/ Anna Up w/ Haunting Music	16
52	1/3	Chair Front Special Up w/ Annabella Collapsing	17
53	3/6	Spread Flat Special w/ Hannay Standing Looking at Audience	17
54	4/6	Shift Flat Gobos Higher w/ Dramatic Music	18
56	0	Blackout w/ Music Fading	18
58	5	Lobby Up Morning When In Place	18
60	8/2	Transition to Flat Morning w/ Milkman Exit	21
62	6/0	Transition to Train w/ Scream	21
63	2/4	Train Up w/ Music Out	22
66	5	Station Up w/ Edinburgh Sign w/ DS Exterior w/ Bagpupe Music	24
70	4	Train Restore Moving w/ Whistle	31
72	8	Shift More Blue in Train w/ Edinburgh Sign Off	31
76	6/2	Flickering Lights w/ Shriek into Tunnel	33
78	2	Blue Light Up on Pamela w/ Hannay Searching	33
80	2	Pink Up on Pamela w/ Romantic Music	33
82	1	Lose Pink w/ Policeman Coming into Car	33
84	5	Widen Exterior w/ Shriek	34
86	4	Roof Up w/ SL Window w/ Hannay Leaping to Roof	35

The 39 Steps Lighting Cue List


<u>Cue #</u>	<u>Time</u>	<u>Description</u>	<u>Page</u>
90	0	Blackout w/ Brakes	36
92	6	Roof Up w/ Blue Top High w/ Pamela "Where's he gone..."	36
94	3	Bridge Up w/ Footlights w/ Policeman "The Forth Bridge, Miss."	36-A
96	6	Build w/ Music: Building All the While	37
98	0	Blackout w/ Long Whistle	37
100	3	Running Special Up w/ Announcer "...bare hands."	37
102	4/6	Shift Crofter's Cottage Dusk w/ Announcer "...gathering darkness."	38
106	4/2	Shift Cottage Interior w/ Door Move	41
110	6	Warmer w/ Romantic Music	43
112	3/1	Restore Q 100 w/ Music Out	45
115	4/1	Transition Look Up w/ End of Scene	47
116	4/1	Shift Night w/ In Place	47
118	3	Headlights Sweep w/ Car Sound	48
120	6	Rear Window Up w/ Margaret Producing Window	50
122	6	Warmer w/ Music Build	52
124	4/2	Restore Q 120 w/ Dramatic Music	52
126	6	Slow Fade w/ Romantic Music	53
128	3	Shadow Lights Up w/ Curtain in Place	53
130	6	Fill Sky w/ Announcer "We're sorry to interrupt..."	53
132	0	Fire Effect w/ Plane Crash	54
134	6/2	Shadow Out w/ Moors Up w/ White Screen Out	54
136	6	Shift Warmer w/ Dramatic Music Out	55
138	4/2	Shift Interior w/ Door Move	56
140	4/2	Shift w/ Door Move	56
142	4/2	Shift w/ Door Move	56
144	4/2	Shift w/ Door Move	56
146	4/2	Shift Study w/ Door Move	56
148	1	Dancers Up w/ Music	56
150	1	Restore Q 146 w/ Music Out	56
152	1	Restore Q 148 w/ Music	57
154	1	Restore Q 150 w/ Music Out	57
156	1	Restore Q 148 w/ Music	57
158	1	Restore Q 150 w/ Music Out	57
162	1/0.5	Prof Special Up "F" w/ Professor Holding Up Hand	59
164	1/0.5	17 Special Up "G" w/ Hannay Gasps	59
165	6/2	Shellach Special Up w/ Professor "Yes. I'm afraid..."	59
166	1	Dancers Up / Restore Q 148 Slowly w/ Music	59
168	1	Restore Q 150 w/ Music Out	60
172	1/0.5	Restore Q 162 w/ Shellach Up / Hannay at Door w/ Professor "Wait a minute."	62
174	6/2	Restore Q 165 w/ Hannay Sinking to Floor	62
176	1	Restore Q 148 w/ Music	62
178	4	Lights Flicker w/ Professor Dancing	63
180	4/2	Narrow Center w/ 3rd Reich Music	63

The 39 Steps Lighting Cue List

<u>Cue #</u>	<u>Time</u>	<u>Description</u>	<u>Page</u>
182	4	Fade Out w/ End	63
INTERMISSION			
184	4	House Up	63
186	4	House Half	63
188	4	House Out	63
INTERMISSION			
200	3	Up Crofter "GH" / No Front w/ In Place	64
202	0	Blackout w/ Arm Raised to Strike	65
204	1	Up Sheriff w/ Chair w/ In Place	65
208	3/1	Shadows Up w/ Stage Dim	68
209	3	Footlights Up w/ Band Entrance	68
210	4/2	Assembly Hall Up Warm w/ "Lights up."	68
212	4	Banner Up When In Place	69
214	4	Lectern Up (Chair Special) w/ "Canned Applause"	70
216	4	Swell w/ Romantic Music	71
218	0/1	Restore Q 214 w/ Music Out	71
219	4	Restore Q 216 w/ Music	72
219.5	0/1	Restore Q 218 w/ Music Out	73
220	3/6	Narrow US Under Banner w/ Heavies Pulling Hannay	73
222	3/1	Car Up (Footlights) w/ Driving Music	75
224	4	Floor Scrapes Up w/ Fog	77
226	3/6	Spread Night w/ Car Down w/ Hannay Jumping Out of Car	77
230	4/2	Brighten Moors w/ Strong Backlight w/ Crash	79
232	1	Shadow Special Up w/ Psycho Music	80
240	0	Lighting Flash Low w/ First Thunder	84
242	0/2	Lighting Flash Higher w/ Stage Dimmer w/ Louder Thunder	84
243	3/1	Transition Look Up w/ Hannay "Yes God Help Her"	84
244	0	Hotel Sign Up w/ Music	85
246	2	Hotel Up w/ Flat Gobos w/ In Place	85
250	0	Fireplace Up w/ Timing	88
251	5/1	Transition Look Up w/ Hannay and Pamela Exit	89
252	3/1	Bedroom Up w/ Fire w/ In Place	89
254	4/2	Narrow w/ Mrs. McGarrigle Exit	92
256	6	Warmer w/ Romantic Music	93
258	3/1	Restore Q 254 w/ Music Out	94
260	3/1	Darker w/ 27 Special Up w/ Dramatic Music	95
262	4/2	Shift Lobby w/ Bedroom Down w/ Pamela Out the Door	96
266	3/1	Restore Q 256 w/ Romantic Music	99
268	4/2	Warmer w/ Birdsong (Dawn)	99
270	3/1	Restore Q 266 w/ Romantic Music	101
274	2/1	Restore Q 268 Cooler w/ Romantic Music Out	103
276	0	Blackout w/ Pamela in Tears	105
278	1	Phone Up w/ in Place	105

The 39 Steps Lighting Cue List

<u>Cue #</u>	<u>Time</u>	<u>Description</u>	<u>Page</u>
280	0	Blackout w/ Pamela "Palladium"	105
282	1	Car Up SL w/ In Place	105
284	0	Blackout w/ Hannay "Palladium."	106
286	3	Footlights w/ SR Box Up w/ In Place	106
288	6	SL Box Up w/ Hand Special w/ Hannay "No no..."	106
290	3/1	Footlights Higher w/ Compere Enter	107
292	3/1	Footlights Higher w/ Hand Special Down w/ Theme	108
294	4	SL Box Up Higher w/ Drum Roll	108
296	3/1	SL Box Restore w/ Crash	108
298	4/2	Cool Footlights Up w/ Detective Enter	109
300	4/2	Brighter w/ Hannay Leap w/ SL Box Up Slow	110
302	1/0	Snap to SL Box w/ Shot!	111
304	8/4	Slowly Restore Q 302 w/ Professor "FOUR!!!"	112
306	4/2	Shift Backstage w/ Music	112
310	6/2	Shift Exterior Dusk w/ Sound: Busy 30s London Street	115
314	3/1	Restore Q 26 w/ Hannay Walking Into His Room	116
316	1/0.5	35 Special Up w/ Door Opening (for Pamela)	116
318	6	Warmer w/ Music Swell	117
320	0	Christmas Tree Lights Up w/ "TING!"	117
322	2/1	Kiss Special Up w/ Falling into Arms	117
326	6	Slow Fade w/ End	117
330	3	Curtain Call	117
332	4	House Up	117



356 ↓ 351 ↓ 355

552

152 136 112 96 46 152 135 112

151 134 111 96 46 151 133 111

62 P 82 62 O 82

61 N 81 61 M 81

382 381
Shadows

16 32 15 31

14 30 13

294 293 292 291
297 296 282 281
284 283

232 231

401
Hotel Sign

341
Crofter
392 391
Banner

Christmas Tree
492

150 132 110 95 45 150 131 110

149 130 109 95 45 149 129 109

60 L 80 60 K 80

59 J 79 59 I 79

551

12 29 11 28

10 27 9

197

301
Edinburgh

Lamp 222

221 Ghost

305
Train Hall

193

192

Q

542

148 128 108 94 44 147 127 107

146 126 106 93 43 145 125 105

58 H 78 57 G 77

56 F 76 55 E 75

541

242 241
245 Post

445 441
Lobby

452 451
422 421
Bedroom

262
Chair
261

412 411
Fireplace

Running

316 311
Pam 315

4 Special 271
17 Special 365
27 Special 431
35 Special 491

246 3 Special
361 Professor
481 Hand
495 Kiss

Phone

461

144 124 104 92 42 143 123 103

142 122 102 91 41 141 121 101

54 D 74 53 C 73

52 B 72 51 A 71

475 471
Car

341 345
184 183
182 181
Crofter
Shellach

212 202

524 504 523 503

201 211

174 173
172 171
Flat

325 321
Train Roof

531 525 505
526 506

511 522 502
521 501

371
Sheriff

164 163 162 161
Strobes